

义乌市志江机械设备有限公司


YIWU ZHIJIANG MACHINE & EQUIPMENT CO., LTD.



一体式胶管接头

One-piece Hose Fittings






10411Y

公制外螺纹24°内锥面轻系列

METRIC MALE 24° CONE SEAT L.T.DIN 3853

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		硬管外径 TUBE O.D.	尺 寸 DIMENSIONS		
			公称内径 DN	标号 DASH		A	C	S1
1	10411Y-14-04	M14X1.5	6	04	8	20.5	10	14
2	10411Y-16-04	M16X1.5	6	04	10	22.5	11	17
3	10411Y-16-05	M16X1.5	8	05	10	22.5	11	17
4	10411Y-18-06	M18X1.5	10	06	12	22.5	11	19
5	10411Y-22-08	M22X1.5	13	08	15	26	12	24
6	10411Y-26-10	M26X1.5	16	10	18	27	12	27
7	10411Y-30-12	M30X2	19	12	22	30	14	32
8	10411Y-36-16	M36X2	25	16	28	31.5	14	41
9	10411Y-45-20	M45X2	32	20	35	37	16	46
10	10411Y-52-24	M52X2	38	24	42	38	16	55
注：表中代号用于编织软管，如用于缠绕软管代号改为10412Y-XX-XX。 Note:The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 10412Y-XX-XX.								




10511Y

公制外螺纹24°内锥面重系列

METRIC MALE 24° CONE SEAT H.T.DIN 3853

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		硬管外径 TUBE O.D.	尺 寸 DIMENSIONS		
			公称内径 DN	标号 DASH		A	C	S1
1	10511Y-14-04	M14X1.5	6	04	6	24.5	12	14
2	10511Y-16-04	M16X1.5	6	04	8	26.5	12	17
3	10511Y-18-04	M18X1.5	6	04	10	26.5	12	19
4	10511Y-18-06	M18X1.5	10	06	10	26.5	12	19
5	10511Y-20-06	M20X1.5	10	06	12	26.5	12	22
6	10511Y-22-08	M22X1.5	13	08	14	31	14	24
7	10511Y-24-08	M24X1.5	13	08	16	31.5	14	27
8	10511Y-30-10	M30X2	16	10	20	35	16	32
9	10511Y-36-16	M36X2	25	16	25	41.5	18	41
10	10511Y-42-16	M42X2	25	16	30	44	20	46
11	10511Y-52-20	M52X2	32	20	38	50	22	55
注：表中代号用于编织软管，如用于缠绕软管代号改为10512Y-XX-XX。 Note:The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 10512Y-XX-XX								




12611AY

英管外螺纹60°内锥面或六角端面用组合垫密封

BSP MALE DOUBLE USE FOR 60°CONE SEAT OR BONDED

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		尺 寸 DIMENSIONS		
			公称内径 DN	标号 DASH	A	C	S1
1	12611AY-04-04	G1/4"X19	6	04	24.5	12	19
2	12611AY-06-06	G3/8"X19	10	06	28	13.5	22
3	12611AY-08-08	G1/2"X14	13	08	33	16	27
4	12611AY-12-12	G3/4"X14	19	12	37.5	18.5	32
5	12611AY-16-12	G1"X11	19	12	42.5	20.5	41
6	12611AY-16-16	G1"X11	25	16	43.5	20.5	41
7	12611AY-20-16	G1.1/4"X11	25	16	45.5	20.5	50
8	12611AY-20-20	G1.1/4"X11	32	20	46.5	20.5	50
9	12611AY-24-24	G.1/2"X11	38	24	49	23	55
10	12611AY-32-32	G2"X11	50	32	53.5	25.5	70
注1：该系列的密封型式可采用60°锥面密封，也可在六角端面放组合垫密封。 注2：表中代号用于编织软管，如用于缠绕软管代号改为12612AY-XX-XX。 Note:The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 12612AY-XX-XX.							




13011Y-SP

英锥管外螺纹

BSPT MALE

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		尺 寸 DIMENSIONS		
			公称内径 DN	标号 DASH	A	C	S1
1	13011Y-04-04SP	R1/4"X19	6	04	27	14.5	14
2	13011Y-06-06SP	R3/8"X19	10	06	27.5	15	17
3	13011Y-08-08SP	R1/2"X14	13	08	35	20	22
4	13011Y-12-12SP	R3/4"X14	19	12	38.5	20	27
5	13011Y-16-12SP	R1"X11	19	12	44.5	25.5	36
6	13011Y-16-16SP	R1"X11	25	16	45	25.5	36
7	13011Y-20-20SP	R1.1/4"X11	32	20	49.5	26.5	46
8	13011Y-24-24SP	R1.1/2"X11	38	24	52.5	26.5	50
9	13011Y-32-32SP	R2"X11	50	32	57	30	65

注：表中代号用于编织软管，如用于缠绕软管代号改为13012Y-XX-XXSP。Note:The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 13012Y-XX-XXSP




14211Y

美制ORFS外螺纹平面O型圈密封

ORFS MALE O-RING SEAL ISO12151-1


序号 SN	产品代号 PART NO.	螺纹 E THREAD E	胶管HOSE BORE		O型圈 O-RING	尺寸 DIMENSIONS		
			公称内径 DN	标号 DASH		A	C	S1
1	14211Y-04-04	9/16"X18	6	04	O7.65X1.78	22.5	9.8	17
2	14211Y-06-06	11/16"X16	10	06	O9.25X1.78	24	11.2	19
3	14211Y-08-08	13/16"X16	12	08	O12.42X1.78	28.5	12.8	22
4	14211Y-10-10	1"X14	16	10	O15.6X1.78	34	15.5	27
5	14211Y-12-12	1.3/16"X12	19	12	O18.77X1.78	36.5	17	32
6	14211Y-16-16	1.7/16"X12	25	16	O23.52X1.78	38.5	17.5	38
7	14211Y-20-20	1.11/16"X12	32	20	O29.87X1.78	41.5	17.5	46
8	14211Y-24-24	2"X12	38	24	O37.82X1.78	43.5	17.5	55
注：表中代号用于编织软管，如用于缠绕软管代号改为14212Y-XX-XX。Note:The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 14212Y-XX-XX								



15611Y

布锥管外螺纹
NPT MALE

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		尺 寸 DIMENSIONS		
			公称内径 DN	标号 DASH	A	C	S1
1	15611Y-04-04	Z1/4"X18	6	04	28	15	17
2	15611Y-06-06	Z3/8"X18	10	06	29	16	19
3	15611Y-08-08	Z1/2"X14	13	08	34.5	19	22
4	15611Y-12-12	Z3/4"X14	19	12	38.5	19.5	27
5	15611Y-16-16	Z1"X11.5	25	16	46.5	25.5	36
6	15611Y-20-20	Z1.1/4"X11.5	32	20	50.5	26.5	46
7	15611Y-24-24	Z1.1/2"X11.5	38	24	51	26	50
8	15611Y-32-32	Z2"X11.5	50	32	55	27.5	65
注：表中代号用于编织软管，如用于缠绕软管代号改为15612Y-XX-XX。Note: The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 15612Y-XX-XX.							




16711Y


美制JIC 外螺纹74° 外锥面

JIC MALE 74° CONE ISO 12151-5 SAE J514

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		尺 寸 DIMENSIONS		
			公称内径 DN	标号 DASH	A	C	S1
1	16711Y-04-04	7/16"X20	6	04	26.5	14	12
2	16711Y-05-05	1/2"X20	8	05	26.5	14	14
3	16711Y-06-06	9/16"X18	10	06	26.5	14.1	17
4	16711Y-08-08	3/4"X16	13	08	32	16.7	22
5	16711Y-10-10	7/8"X14	16	10	35.5	19.3	24
6	16711Y-12-12	1.1/16"X12	19	12	40	21.9	30
7	16711Y-16-16	1.5/16"X12	25	16	43.5	23.1	36
8	16711Y-20-20	1.5/8"X12	32	20	47.5	24.3	46
9	16711Y-24-24	1.7/8"X12	38	24	53	27.5	50
10	16711Y-32-32	2.1/2"X12	50	32	62	33.9	65
注：表中代号用于编织软管，如用于缠绕软管代号改为16712Y-XX-XX。Note:The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 16712Y-XX-XX							





20111YT



20111Y

公制内螺纹球面
METRIC FEMALE MULTISEAL


序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		尺 寸 DIMENSIONS		
			公称内径 DN	标号 DASH	A	C	S2
1	20111Y-14-04T	M14X1.5	6	04	20.5	4.5	17
2	20111Y-16-05T	M16X1.5	8	05	20	4.5	19
3	20111Y-18-06T	M18X1.5	10	06	22.5	4	22
4	20111Y-22-08T	M22X1.5	12	08	24.5	5	27
5	20111Y-27-10T	M27X1.5	16	10	24	5.5	32
6	20111Y-30-10T	M30X1.5	16	10	25.5	6	36
7	20111Y-30-12T	M30X1.5	19	12	28.5	6	36
8	20111Y-36-12T	M36X2	19	12	26	7	41
9	20111Y-36-16T	M36X2	25	16	28	7	41
10	20111Y-39-16T	M39X2	25	16	29.5	7	46
11	20111Y-42-16T	M42X2	25	16	30	8.5	50
12	20111Y-45-20T	M45X2	32	20	31.5	8.5	55
13	20111Y-52-20T	M52X2	32	20	33	9	60
14	20111Y-52-24T	M52X2	38	24	33	9	60
15	20111Y-64-32T	M64X2	51	32	35	14	75
注：表中代号用于编织软管，如用于缠绕软管代号改为20112Y-XX-XX。Note: The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 20112Y-XX-XX							




90° 公制内螺纹球

90° METRIC FEMALE MULTISEAL

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		尺 寸 DIMENSIONS			
			公称内径 DN	标号 DASH	A	H	C	S2
1	20191Y-14-04T	M14X1.5	6	04	27	4.5	35.5	17
2	20191Y-16-05T	M16X1.5	8	05	32	4.5	38.5	19
3	20191Y-18-06T	M18X1.5	10	06	34.5	4	41	22
4	20191Y-22-08T	M22X1.5	12	08	41	5	49	27
5	20191Y-27-10T	M27X1.5	16	10	53.5	5.5	53.5	32
6	20191Y-30-10T	M30X1.5	16	10	53.5	6	55.5	36
7	20191Y-30-12T	M30X1.5	19	12	61	6	60	36
8	20191Y-36-12T	M36X2	19	12	61	7	64	41
9	20191Y-36-16T	M36X2	25	16	75	7	70	41
10	20191Y-39-16T	M39X2	25	16	75	7	72	46
11	20191Y-42-16T	M42X2	25	16	75	8.5	72.5	50
12	20191Y-45-20T	M45X2	32	20	91	8.5	85	55
13	20191Y-52-20T	M52X2	32	20	91	9	86.5	60
14	20191Y-52-24T	M52X2	38	24	106	9	97	60
15	20191Y-64-32T	M64X2	51	32	132	14	122	75
注：表中代号用于编织软管，如用于缠绕软管代号改为20192Y-XX-XX。Note: The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 20192Y-XX-XX								



20211YT




20211YW

国标公制内螺纹平面密封

GB METRIC FEMALE FLAT SEAT

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		尺 寸 DIMENSIONS		
			公称内径 DN	标号 DASH	A	C	S2
1	20211Y-14-04T	M14X1.5	6	04	16.5	8.5	17
2	20211Y-16-04T	M16X1.5	6	04	16	8.5	19
3	20211Y-16-05T	M16X1.5	8	05	16.5	8.5	19
4	20211Y-18-05T	M18X1.5	8	05	18	9	22
5	20211Y-18-06T	M18X1.5	10	06	17	9	22
6	20211Y-22-08T	M22X1.5	12	08	19.5	10	27
7	20211Y-27-08T	M27X1.5	12	08	18.5	10	32
8	20211Y-27-10T	M27X1.5	16	10	20.5	10	32
9	20211Y-30-10T	M30X1.5	16	10	20.5	11	36
10	20211Y-30-12T	M30X1.5	19	12	22.5	11	36
11	20211Y-36-12T	M36X2	19	12	20	13	41
12	20211Y-36-16T	M36X2	25	16	24	13	41
13	20211Y-39-16T	M39X2	25	16	23.5	13	46
14	20211Y-42-16T	M42X2	25	16	23.5	15	50
15	20211Y-42-20W	M42X2	32	20	25	15	50
16	20211Y-45-20T	M45X2	32	20	25	15	55
17	20211Y-52-20T	M52X2	32	20	25	17	60
18	20211Y-52-24T	M52X2	40	24	25	17	60
19	20211Y-64-32T	M64X2	50	32	26	23	75
注：表中代号用于编织软管，如用于缠绕软管代号改为20212Y-XX-XX。Note: The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 20212Y-XX-XX							




45° 公制内螺纹平面密封

45° METRIC FEMALE FLAT SEAT

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		尺 寸 DIMENSIONS			
			公称内径 DN	标号 DASH	A	C	H	S2
1	20241Y-14-04T	M14X1.5	6	04	35.4	8.5	15.7	17
2	20241Y-16-04T	M16X1.5	6	04	38.1	8.5	18.5	19
3	20241Y-16-05T	M16X1.5	8	05	42	8.5	19.7	19
4	20241Y-18-05T	M18X1.5	8	05	40.6	9	18.3	22
5	20241Y-18-06T	M18X1.5	10	06	44	9	20.1	22
6	20241Y-22-08T	M22X1.5	12	08	46.7	10	19.8	27
7	20241Y-27-08T	M27X1.5	12	08	48.5	10	21.5	32
8	20241Y-27-10T	M27X1.5	16	10	59.7	10	22.8	32
9	20241Y-30-10T	M30X1.5	16	10	59.7	11	22.8	36
10	20241Y-30-12T	M30X1.5	19	12	66.2	11	24.5	36
11	20241Y-36-12T	M36X2	19	12	66.2	13	24.5	41
12	20241Y-36-16T	M36X2	25	16	78.3	13	27.9	41
13	20241Y-39-16T	M39X2	25	16	79.7	13	29.3	46
14	20241Y-42-16T	M42X2	25	16	79.7	15	29.3	50
15	20241Y-42-20W	M42X2	32	20	95.4	15	35.2	50
16	20241Y-45-20T	M45X2	32	20	94	15	33.8	55
17	20241Y-52-20T	M52X2	32	20	94	17	33.8	60
18	20241Y-52-24T	M52X2	40	24	106	17	36.8	60
19	20241Y-64-32T	M64X2	50	32	134	23	45.6	75

注：表中代号用于编织软管，如用于缠绕软管代号改为20242Y-XX-XX。Note:The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 20242Y-XX-XX





90° 公制内螺纹平面密封

90° METRIC FEMALE FLAT SEAT

序号 SN	产品代号 PART NO.	螺纹 E THREAD E	胶管 HOSE BORE		尺寸 DIMENSIONS			
			公称内径 DN	标号 DASH	A	C	H	S2
1	20291Y-14-04T	M14X1.5	6	04	27	8.5	29.5	17
2	20291Y-16-04T	M16X1.5	6	04	27	8.5	32	19
3	20291Y-16-05T	M16X1.5	8	05	32	8.5	37.5	19
4	20291Y-18-05T	M18X1.5	8	05	32	9	35.5	22
5	20291Y-18-06T	M18X1.5	10	06	34.5	9	36.5	22
6	20291Y-22-08T	M22X1.5	12	08	41	10	42	27
7	20291Y-27-08T	M27X1.5	12	08	41	10	44.5	32
8	20291Y-27-10T	M27X1.5	16	10	53.5	10	49	32
9	20291Y-30-10T	M30X1.5	16	10	53.5	11	49	36
10	20291Y-30-12T	M30X1.5	19	12	61	11	54	36
11	20291Y-36-12T	M36X2	19	12	61	13	54	41
12	20291Y-36-16T	M36X2	25	16	75	13	64	41
13	20291Y-39-16T	M39X2	25	16	75	13	66	46
14	20291Y-42-16T	M42X2	25	16	75	15	66	50
15	20291Y-42-20W	M42X2	32	20	91	15	80.5	50
16	20291Y-45-20T	M45X2	32	20	91	15	78.5	55
17	20291Y-52-20T	M52X2	32	20	91	17	78.5	60
18	20291Y-52-24T	M52X2	40	24	106	17	89	60
19	20291Y-64-32T	M64X2	50	32	132	23	113	75

注：表中代号用于编织软管，如用于缠绕软管代号改为20292Y-XX-XX。Note: The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 20292Y-XX-XX


**20411YT****20411YW**

公制内螺纹24°锥带O 形圈轻系列


METRIC FEMALE 24° CONE O-RING L. T. ISO 12151-2--DIN 3865

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		O型圈 O-RING	尺 寸 DIMENSIONS		
			公称内径 DN	标号 DASH		A	C	S2
1	20411Y-14-04T	M14X1.5	6	04	O06.5X1.5	24	1.7	S17
2	20411Y-16-04T	M16X1.5	6	04	O08.0X1.5	23	2.1	S19
3	20411Y-16-05T	M16X1.5	8	05	O08.0X1.5	24	2.1	S19
4	20411Y-18-04T	M18X1.5	6	04	O10.0X1.5	24.5	1.5	S22
5	20411Y-18-05T	M18X1.5	8	05	O10.0X1.5	24.5	1.5	S22
6	20411Y-18-06T	M18X1.5	10	06	O10.0X1.5	25	1.5	S22
7	20411Y-22-06T	M22X1.5	10	06	O12.0X2.0	26.5	3	S27
8	20411Y-22-08T	M22X1.5	13	08	O12.0X2.0	28	3	S27
9	20411Y-26-08T	M26X1.5	13	08	O15.0X2.0	27.5	2.1	S32
10	20411Y-26-10T	M26X1.5	16	10	O15.0X2.0	29	2.1	S32
11	20411Y-30-10T	M30X2.0	16	10	O20.0X2.0	31	3.8	S36
12	20411Y-30-12T	M30X2.0	19	12	O20.0X2.0	33	3.8	S36
13	20411Y-36-12T	M36X2.0	19	12	O26.0X2.0	33	4.5	S41
14	20411Y-36-16T	M36X2.0	25	16	O26.0X2.0	35	4.5	S41
15	20411Y-45-16T	M45X2.0	25	16	O32.0X2.5	37	4	S50
16	20411Y-45-20T	M45X2.0	32	20	O32.0X2.5	37.5	4	S50
17	20411Y-52-20T	M52X2.0	32	20	O38.0X2.5	38.5	4	S60
18	20411Y-52-24T	M52X2.0	38	24	O38.0X2.5	38.5	4	S60

注：表中代号用于编织软管，如用于缠绕软管代号改为20412Y-XX-XX。Note: The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 20412Y-XX-XX



20441YT




20441YW

45° 公制内螺纹24°锥带O形圈轻系列

45° METRIC FEMALE 24° CONE O-RING L.T. ISO 12151-2--DIN 3865

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		O型圈 O-RING	尺 寸 DIMENSIONS			
			公称内径 DN	标号 DASH		A	C	H	S2
1	20441Y-14-04T	M14X1.5	6	04	O06.5X1.5	36	1.7	16.4	S17
2	20441Y-16-04T	M16X1.5	6	04	O08.0X1.5	36.3	2.1	16.6	S19
3	20441Y-16-05T	M16X1.5	8	05	O08.0X1.5	39.7	2.1	17.3	S19
4	20441Y-18-04T	M18X1.5	6	04	O10.0X1.5	37.2	1.5	17.5	S22
5	20441Y-18-05T	M18X1.5	8	05	O10.0X1.5	41.3	1.5	19	S22
6	20441Y-18-06T	M18X1.5	10	06	O10.0X1.5	43	1.5	19	S22
7	20441Y-22-06T	M22X1.5	10	06	O12.0X2.0	43.4	3	19.4	S27
8	20441Y-22-08T	M22X1.5	13	08	O12.0X2.0	48.1	3	21.2	S27
9	20441Y-26-08T	M26X1.5	13	08	O15.0X2.0	49.1	2.1	22.2	S32
10	20441Y-26-10T	M26X1.5	16	10	O15.0X2.0	61.2	2.1	24.9	S32
11	20441Y-30-10T	M30X2.0	16	10	O20.0X2.0	62.5	3.8	26.2	S36
12	20441Y-30-12T	M30X2.0	19	12	O20.0X2.0	69.1	3.8	27.5	S36
13	20441Y-36-12T	M36X2.0	19	12	O26.0X2.0	69.4	4.5	27.7	S41
14	20441Y-36-16T	M36X2.0	25	16	O26.0X2.0	81.4	4.5	31	S41
15	20441Y-45-16T	M45X2.0	25	16	O32.0X2.5	83.6	4	33.2	S50
16	20441Y-45-20T	M45X2.0	32	20	O32.0X2.5	96.5	4	36.2	S50
17	20441Y-52-20T	M52X2.0	32	20	O38.0X2.5	97.2	4	36.9	S60
18	20441Y-52-24T	M52X2.0	38	24	O38.0X2.5	111	4	41.4	S60

注：表中代号用于编织软管，如用于缠绕软管代号改为20442Y-XX-XX。Note: The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 20442Y-XX-XX





90° 公制内螺纹24°锥带O 形圈轻系列

90° METRIC FEMALE 24° CONE O-RING L. T. ISO 12151-2--DIN 3865

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		O型圈 O-RING	尺 寸 DIMENSIONS			
			公称内径 DN	标号 DASH		A	C	H	S2
1	20491Y-14-04T	M14X1.5	6	04	O06.5X1.5	27	1.7	30.4	S17
2	20491Y-16-04T	M16X1.5	6	04	O08.0X1.5	27	2.1	30.7	S19
3	20491Y-16-05T	M16X1.5	8	05	O08.0X1.5	32	2.1	34.2	S19
4	20491Y-18-04T	M18X1.5	6	04	O10.0X1.5	27	1.5	32	S22
5	20491Y-18-05T	M18X1.5	8	05	O10.0X1.5	32	1.5	36.5	S22
6	20491Y-18-06T	M18X1.5	10	06	O10.0X1.5	34.5	1.5	37	S22
7	20491Y-22-06T	M22X1.5	10	06	O12.0X2.0	34.5	3	38	S27
8	20491Y-22-08T	M22X1.5	13	08	O12.0X2.0	41	3	44	S27
9	20491Y-26-08T	M26X1.5	13	08	O15.0X2.0	41	2.1	45.4	S32
10	20491Y-26-10T	M26X1.5	16	10	O15.0X2.0	53	2.1	53.4	S32
11	20491Y-30-10T	M30X2.0	16	10	O20.0X2.0	53	3.8	53.7	S36
12	20491Y-30-12T	M30X2.0	19	12	O20.0X2.0	61	3.8	58.2	S36
13	20491Y-36-12T	M36X2.0	19	12	O26.0X2.0	61	4.5	58.5	S41
14	20491Y-36-16T	M36X2.0	25	16	O26.0X2.0	75	4.5	68.5	S41
15	20491Y-45-16T	M45X2.0	25	16	O32.0X2.5	75	4	71.5	S50
16	20491Y-45-20T	M45X2.0	32	20	O32.0X2.5	91	4	82	S50
17	20491Y-52-20T	M52X2.0	32	20	O38.0X2.5	91	4	83	S60
18	20491Y-52-24T	M52X2.0	38	24	O38.0X2.5	106	4	95.5	S60

注：表中代号用于编织软管，如用于缠绕软管代号改为20492Y-XX-XX。Note: The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 20492Y-XX-XX





公制内螺纹24°锥带O形圈重系列

METRIC FEMALE 24° CONE O-RING H. T. ISO 12151-2--DIN 3865

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		O型圈 O-RING	尺 寸 DIMENSIONS		
			公称内径 DN	标号 DASH		A	C	S2
1	20511Y-14-04T	M14X1.5	6	04	O04.5X1.5	24	1.7	S17
2	20511Y-16-04T	M16X1.5	6	04	O06.5X1.5	24.5	1.8	S19
3	20511Y-16-05T	M16X1.5	8	05	O06.5X1.5	25	1.8	S19
4	20511Y-18-04T	M18X1.5	6	04	O08.0X1.5	25.5	1.5	S22
5	20511Y-18-05T	M18X1.5	8	05	O08.0X1.5	25.5	1.5	S22
6	20511Y-18-06T	M18X1.5	10	06	O08.0X1.5	26.5	1.5	S22
7	20511Y-20-05T	M20X1.5	8	05	O10.0X1.5	26.5	2.5	S24
8	20511Y-20-06T	M20X1.5	10	06	O10.0X1.5	26.5	2.5	S24
9	20511Y-22-06T	M22X1.5	10	06	O11.0X2.0	26.5	3	S27
10	20511Y-22-08T	M22X1.5	13	08	O11.0X2.0	29	3	S27
11	20511Y-24-06T	M24X1.5	10	06	O13.0X2.0	27	3	S30
12	20511Y-24-08T	M24X1.5	13	08	O13.0X2.0	27.5	3	S30
13	20511Y-30-08T	M30X2	13	08	O16.3X2.4	32.5	2.5	S36
14	20511Y-30-10T	M30X2	16	10	O16.3X2.4	33	2.5	S36
15	20511Y-30-12T	M30X2	19	12	O16.3X2.4	34.5	2.5	S36
16	20511Y-36-12T	M36X2	19	12	O20.3X2.4	35	3	S46
17	20511Y-36-16T	M36X2	25	16	O20.3X2.4	37	3	S46
18	20511Y-42-16T	M42X2	25	16	O25.3X2.4	38.5	4	S50
19	20511Y-52-20T	M52X2	32	20	O33.3X2.4	41.5	9	S60
20	20511Y-52-24T	M52X2	38	24	O33.3X2.4	41.5	9	S60



注：表中代号用于编织软管，如用于缠绕软管代号改为20512Y-XX-XX。 Note: The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 20512Y-XX-XX



45° 公制内螺纹24°锥带O形圈重系列

45° METRIC FEMALE 24° CONE O-RING H. T. ISO 12151-2-DIN 3865

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		O型圈 O-RING	尺 寸 DIMENSIONS			
			公称内径 DN	标号 DASH		A	C	H	S2
1	20541Y-14-04T	M14X1.5	6	04	O04.5X1.5	36	1.7	16.4	S17
2	20541Y-16-04T	M16X1.5	6	04	O06.5X1.5	36.4	1.8	16.7	S19
3	20541Y-16-05T	M16X1.5	8	05	O06.5X1.5	38.1	1.8	17	S19
4	20541Y-18-04T	M18X1.5	6	04	O08.0X1.5	37.4	1.5	17.8	S22
5	20541Y-18-05T	M18X1.5	8	05	O08.0X1.5	41.3	1.5	19	S22
6	20541Y-18-06T	M18X1.5	10	06	O08.0X1.5	43.4	1.5	19.4	S22
7	20541Y-20-05T	M20X1.5	8	05	O10.0X1.5	41.7	2.5	19.3	S24
8	20541Y-20-06T	M20X1.5	10	06	O10.0X1.5	43.7	2.5	19.8	S24
9	20541Y-22-06T	M22X1.5	10	06	O11.0X2.0	43.7	3	19.8	S27
10	20541Y-22-08T	M22X1.5	13	08	O11.0X2.0	48.5	3	21.5	S27
11	20541Y-24-06T	M24X1.5	10	06	O13.0X2.0	43.7	3	19.8	S30
12	20541Y-24-08T	M24X1.5	13	08	O13.0X2.0	48.5	3	21.5	S30
13	20541Y-30-08T	M30X2	13	08	O16.3X2.4	51.3	2.5	24.4	S36
14	20541Y-30-10T	M30X2	16	10	O16.3X2.4	63.4	2.5	27.1	S36
15	20541Y-30-12T	M30X2	19	12	O16.3X2.4	68.4	2.5	27.1	S36
16	20541Y-36-12T	M36X2	19	12	O20.3X2.4	71.3	3	29.7	S46
17	20541Y-36-16T	M36X2	25	16	O20.3X2.4	82.4	3	32	S46
18	20541Y-42-16T	M42X2	25	16	O25.3X2.4	83.6	4	33.2	S50
19	20541Y-52-20T	M52X2	32	20	O33.3X2.4	99.7	9	39.4	S60
20	20541Y-52-24T	M52X2	38	24	O33.3X2.4	112	9	42.5	S60
注：表中代号用于编织软管，如用于缠绕软管代号改为20542Y-XX-XX。Note: The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 20542Y-XX-XX									





90° 公制内螺纹24°锥带O形圈重系列

90° METRIC FEMALE 24° CONE O-RING H. T. ISO 12151-2-DIN 3865

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		O型圈 O-RING	尺 寸 DIMENSIONS			
			公称内径 DN	标号 DASH		A	C	H	S2
1	20591Y-14-04T	M14X1.5	6	04	O04.5X1.5	27	1.7	30.4	S17
2	20591Y-16-04T	M16X1.5	6	04	O06.5X1.5	27	1.8	31	S19
3	20591Y-16-05T	M16X1.5	8	05	O06.5X1.5	29	1.8	32	S19
4	20591Y-18-04T	M18X1.5	6	04	O08.0X1.5	28	1.5	32.5	S22
5	20591Y-18-05T	M18X1.5	8	05	O08.0X1.5	32	1.5	36.5	S22
6	20591Y-18-06T	M18X1.5	10	06	O08.0X1.5	34.5	1.5	37.5	S22
7	20591Y-20-05T	M20X1.5	8	05	O10.0X1.5	32	2.5	37	S24
8	20591Y-20-06T	M20X1.5	10	06	O10.0X1.5	34.5	2.5	38	S24
9	20591Y-22-06T	M22X1.5	10	06	O11.0X2.0	34.5	3	38.5	S27
10	20591Y-22-08T	M22X1.5	13	08	O11.0X2.0	41	3	44.5	S27
11	20591Y-24-06T	M24X1.5	10	06	O13.0X2.0	34.5	3	38.5	S30
12	20591Y-24-08T	M24X1.5	13	08	O13.0X2.0	41	3	44.5	S30
13	20591Y-30-08T	M30X2	13	08	O16.3X2.4	41	2.5	48.5	S36
14	20591Y-30-10T	M30X2	16	10	O16.3X2.4	53	2.5	55	S36
15	20591Y-30-12T	M30X2	19	12	O16.3X2.4	58	2.5	55	S36
16	20591Y-36-12T	M36X2	19	12	O20.3X2.4	61	3	59.8	S46
17	20591Y-36-16T	M36X2	25	16	O20.3X2.4	75	3	69.8	S46
18	20591Y-42-16T	M42X2	25	16	O25.3X2.4	75	4	71.6	S50
19	20591Y-52-20T	M52X2	32	20	O33.3X2.4	91	9	86.5	S60
20	20591Y-52-24T	M52X2	38	24	O33.3X2.4	106	9	97	S60

注：表中代号用于编织软管，如用于缠绕软管代号改为20592Y-XX-XX。Note: The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 20592Y-XX-XX.




国标公制内螺纹74°密封

GB METRIC FEMALE 74° CONE SEAT

序号 SN	产品代号 PART NO.	螺纹 E THREAD E	胶管HOSE BORE		尺寸 DIMENSIONS		
			公称内径 DN	标号 DASH	A	C	S2
1	20711Y-14-04T	M14X1.5	6	04	16.5	8.5	17
2	20711Y-16-04T	M16X1.5	6	04	16	8	19
3	20711Y-16-05T	M16X1.5	8	05	16.5	8	19
4	20711Y-18-05T	M18X1.5	8	05	19	8	22
5	20711Y-18-06T	M18X1.5	10	06	19	8	22
6	20711Y-22-06T	M22X1.5	10	06	19	10	27
7	20711Y-22-08T	M22X1.5	13	08	19.5	10	27
8	20711Y-27-08T	M27X1.5	13	08	18.5	10	32
9	20711Y-27-10T	M27X1.5	16	10	20	10	32
10	20711Y-30-10T	M30X1.5	16	10	20	11	36
11	20711Y-30-12T	M30X1.5	19	12	23.5	11	36
12	20711Y-36-12T	M36X2	19	12	21	13	41
13	20711Y-36-16T	M36X2	25	16	22	13	41
14	20711Y-39-16T	M39X2	25	16	23.5	13	46
15	20711Y-42-16T	M42X2	25	16	23.5	15	50
16	20711Y-42-20W	M42X2	32	20	25.5	15	50
17	20711Y-45-16T	M45X2	25	16	23.5	15	55
18	20711Y-45-20T	M45X2	32	20	25	15	55
19	20711Y-52-20T	M52X2	32	20	25	17	60
20	20711Y-52-24T	M52X2	38	24	25	17	60
21	20711Y-64-32T	M64X2	51	32	26	23	75

注：表中代号用于编织软管，如用于缠绕软管代号改为20712Y-XX-XX。 Note: The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 20712Y-XX-XX





45° 国标公制内螺纹74°密封

45° GB METRIC FEMALE 74° CONE

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		尺 寸 DIMENSIONS			
			公称内径 DN	标号 DASH	A	C	H	S2
1	20741Y-14-04T	M14X1.5	6	04	35.3	8.5	15.7	17
2	20741Y-16-04T	M16X1.5	6	04	38.2	8	18.5	19
3	20741Y-16-05T	M16X1.5	8	05	42.4	8	20	19
4	20741Y-18-05T	M18X1.5	8	05	42.7	8	20.4	22
5	20741Y-18-06T	M18X1.5	10	06	44.8	8	20.8	22
6	20741Y-22-06T	M22X1.5	10	06	44.8	10	20.8	27
7	20741Y-22-08T	M22X1.5	13	08	47	10	20.1	27
8	20741Y-27-08T	M27X1.5	13	08	48.5	10	21.5	32
9	20741Y-27-10T	M27X1.5	16	10	59.6	10	22.8	32
10	20741Y-30-10T	M30X1.5	16	10	59.6	11	22.8	36
11	20741Y-30-12T	M30X1.5	19	12	67.6	11	25.9	36
12	20741Y-36-12T	M36X2	19	12	67.6	13	25.9	41
13	20741Y-36-16T	M36X2	25	16	79.7	13	29.3	41
14	20741Y-39-16T	M39X2	25	16	80.4	13	30	46
15	20741Y-42-16T	M42X2	25	16	81.8	15	31.4	50
16	20741Y-42-20W	M42X2	32	20	95	15	34.8	50
17	20741Y-45-16T	M45X2	25	16	81.8	15	31.4	55
18	20741Y-45-20T	M45X2	32	20	94.7	15	34.5	55
19	20741Y-52-20T	M52X2	32	20	94.7	17	34.5	60
20	20741Y-52-24T	M52X2	38	24	110	17	40.4	60
21	20741Y-64-32T	M64X2	51	32	137	23	48.3	75

注：表中代号用于编织软管，如用于缠绕软管代号改为20742Y-XX-XX。Note:The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 20742Y-XX-XX





90° 国标公制内螺纹74°密封

90° GB METRIC FEMALE 74° CONE

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		尺 寸 DIMENSIONS			
			公称内径 DN	标号 DASH	A	C	H	S2
1	20791Y-14-04T	M14X1.5	6	04	27	8.5	29.4	17
2	20791Y-16-04T	M16X1.5	6	04	27	8	33.4	19
3	20791Y-16-05T	M16X1.5	8	05	32	8	38	19
4	20791Y-18-05T	M18X1.5	8	05	32	8	38.5	22
5	20791Y-18-06T	M18X1.5	10	06	34.5	8	40	22
6	20791Y-22-06T	M22X1.5	10	06	34.5	10	40	27
7	20791Y-22-08T	M22X1.5	13	08	41	10	42.5	27
8	20791Y-27-08T	M27X1.5	13	08	41	10	44.5	32
9	20791Y-27-10T	M27X1.5	16	10	53.5	10	49	32
10	20791Y-30-10T	M30X1.5	16	10	53.5	11	49	36
11	20791Y-30-12T	M30X1.5	19	12	61	11	56	36
12	20791Y-36-12T	M36X2	19	12	61	13	56	41
13	20791Y-36-16T	M36X2	25	16	75	13	66	41
14	20791Y-39-16T	M39X2	25	16	75	13	67	46
15	20791Y-42-16T	M42X2	25	16	75	15	69	50
16	20791Y-42-20W	M42X2	32	20	91	15	80	50
17	20791Y-45-16T	M45X2	25	16	75	15	69	55
18	20791Y-45-20T	M45X2	32	20	91	15	79.5	55
19	20791Y-52-20T	M52X2	32	20	91	17	79.5	60
20	20791Y-52-24T	M52X2	38	24	106	17	94	60
21	20791Y-64-32T	M64X2	51	32	132	23	117	75



注：表中代号用于编织软管，如用于缠绕软管代号改为20792Y-XX-XX。 Note: The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 20792Y-XX-XX

**22611Y****22611YW**

英管内螺纹60°外锥面
BSP FEMALE 60° CONE

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		尺 寸 DIMENSIONS		
			公称内径 DN	标号 DASH	A	C	S1
1	22611Y-04-04	G1/4" X19	6	04	18	5.5	S19
2	22611Y-06-04	G3/8" X19	6	04	19	6.3	S22
3	22611Y-06-06	G3/8" X19	10	06	19.5	6.3	S22
4	22611Y-08-06	G1/2" X14	10	06	21	7.5	S27
5	22611Y-08-08	G1/2" X14	13	08	21.5	7.5	S27
6	22611Y-12-10	G3/4" X14	16	10	23.5	10.9	S32
7	22611Y-12-12	G3/4" X14	19	12	24	10.9	S32
8	22611Y-16-16	G1" X11	25	16	27	11.7	S41
9	22611Y-20-20W	G1.1/4" X11	32	20	30.5	11	S50
10	22611Y-24-24W	G1.1/2" x11	38	24	33	13	S55
11	22611Y-32-32W	G2" X11	51	32	33	16	S70


注：表中代号用于编织软管，如用于缠绕软管代号改为22612Y-XX-XX。Note:The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 22612Y-XX-XX.




45° 英管内螺纹60° 外锥面

45° BSP FEMALE 60° CONE

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		尺 寸 DIMENSIONS			
			公称内径 DN	标号 DASH	A	C	H	S2
1	22641Y-04-04	G1/4" X19	6	04	36	5.5	16.4	S19
2	22641Y-06-04	G3/8" X19	6	04	37	6.3	17.3	S22
3	22641Y-06-06	G3/8" X19	10	06	42.8	6.3	18.8	S22
4	22641Y-08-06	G1/2" X14	10	06	44.8	7.5	20.8	S27
5	22641Y-08-08	G1/2" X14	13	08	48.8	7.5	21.9	S27
6	22641Y-12-10	G3/4" X14	16	10	62.4	10.9	26.1	S32
7	22641Y-12-12	G3/4" X14	19	12	69.1	10.9	27.4	S32
8	22641Y-16-16	G1" X11	25	16	82.7	11.7	32.3	S41
9	22641Y-20-20W	G1.1/4" X11	32	20	98.2	11	38	S50
10	22641Y-24-24W	G1.1/2" x11	38	24	115	13	44.6	S55
11	22641Y-32-32W	G2" X11	51	32	141	16	52.7	S70
注：表中代号用于编织软管，如用于缠绕软管代号改为22642Y-XX-XX。Note: The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 22642Y-XX-XX								



22691Y




22691YW


90° 英管内螺纹60° 外锥面

90° BSP FEMALE 60° CONE

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		尺 寸 DIMENSIONS			
			公称内径 DN	标号 DASH	A	C	H	S2
1	22691Y-04-04	G1/4" X19	6	04	27	5.5	30.5	S19
2	22691Y-06-04	G3/8" X19	6	04	27	6.3	31.7	S22
3	22691Y-06-06	G3/8" X19	10	06	34.5	6.3	37.2	S22
4	22691Y-08-06	G1/2" X14	10	06	34.5	7.5	40	S27
5	22691Y-08-08	G1/2" X14	13	08	41	7.5	46	S27
6	22691Y-12-10	G3/4" X14	16	10	53	10.9	53.6	S32
7	22691Y-12-12	G3/4" X14	19	12	61	10.9	58.1	S32
8	22691Y-16-16	G1" X11	25	16	75	11.7	70.3	S41
9	22691Y-20-20W	G1.1/4" X11	32	20	91	11	84.5	S50
10	22691Y-24-24W	G1.1/2" x11	38	24	106	13	100	S55
11	22691Y-32-32W	G2" X11	51	32	132	16	123	S70
注：表中代号用于编织软管，如用于缠绕软管代号改为22692Y-XX-XX。Note:The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 22692Y-XX-XX								



22611DY-SM




22611DY-SMW

英管内螺纹60°外锥面双六角


BSP FEMALE 60° CONE DOUBLE HEXAGON

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		尺 寸 DIMENSIONS			
			公称内径 DN	标号 DASH	A	C	S1	S2
1	22611DY-04-04SM	G1/4" X19	6	04	23.5	5.5	S14	S19
2	22611DY-06-06SM	G3/8" X19	10	06	26	6.3	S17	S22
3	22611DY-08-06SM	G1/2" X14	10	06	30.5	7.5	S19	S27
4	22611DY-08-08SM	G1/2" X14	13	08	31	7.5	S19	S27
5	22611DY-12-12SM	G3/4" X14	19	12	33.5	10.9	S27	S32
6	22611DY-16-16SM	G1" X11	25	16	36	11.7	S32	S41
7	22611DY-20-20SMW	G1.1/4" X11	32	20	44	11	S41	S50
8	22611DY-24-24SMW	G1.1/2" x11	38	24	45	13	S46	S55
9	22611DY-32-32SMW	G2" X11	51	32	45	16	S60	S70


注：表中代号用于编织软管，如用于缠绕软管代号改为22612DY-XX-XXSM。Note:The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 22612DY-XX-XXSM



24211YT



24211Y




24211YW

美制ORFS 内螺纹平面

ORFS FEMALE FLAT SEAT ISO 12151-1--SAE J1453

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		尺 寸 DIMENSIONS		
			公称内径 DN	标号 DASH	A	C	S2
1	24211Y-04-04	9/16"X18	6	04	22.5	8.5	S19
2	24211Y-06-04T	11/16"X16	6	04	23.5	10	S22
3	24211Y-06-06	11/16"X16	10	06	25.5	10	S22
4	24211Y-08-06T	13/16"X16	10	06	25	11	S27
5	24211Y-08-08	13/16"X16	13	08	28	11	S27
6	24211Y-10-08	1"X14	13	08	32.5	13.5	S30
7	24211Y-10-10	1"X14	16	10	33.5	13.5	S30
8	24211Y-12-08T	1.3/16"X12	13	08	30.5	15	S36
9	24211Y-12-10T	1.3/16"X12	16	10	32	15	S36
10	24211Y-12-12T	1.3/16"X12	19	12	33	15	S36
11	24211Y-16-12T	1.7/16"X12	19	12	35	14.8	S41
12	24211Y-16-16T	1.7/16"X12	25	16	34.5	14.8	S41
13	24211Y-20-20W	1.11/16"X12	32	20	42.5	15	S50
14	24211Y-24-24T	2"X12	38	24	36	14.8	S60

注：表中代号用于编织软管，如用于缠绕软管代号改为24212Y-XX-XX。 Note: The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 24212Y-XX-XX




45° 美制ORFS 内螺纹平面

45° ORFS FEMALE FLAT SEAT ISO 12151-1--SAE J1453

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		尺 寸 DIMENSIONS			
			公称内径 DN	标号 DASH	A	C	H	S2
1	24241Y-04-04	9/16"X18	6	04	30.7	8.5	11.1	S19
2	24241Y-06-04T	11/16"X16	6	04	35.8	10	16.1	S22
3	24241Y-06-06	11/16"X16	10	06	37.7	10	13.8	S22
4	24241Y-08-06T	13/16"X16	10	06	44.1	11	20.1	S27
5	24241Y-08-08	13/16"X16	13	08	44.3	11	17.5	S27
6	24241Y-10-08	1"X14	13	08	48.5	13.5	21.5	S30
7	24241Y-10-10	1"X14	16	10	56.5	13.5	19.7	S30
8	24241Y-12-08T	1.3/16"X12	13	08	49.2	15	22.2	S36
9	24241Y-12-10T	1.3/16"X12	16	10	59.1	15	22.8	S36
10	24241Y-12-12T	1.3/16"X12	19	12	66.2	15	24.5	S36
11	24241Y-16-12T	1.7/16"X12	19	12	68.3	14.8	26.6	S41
12	24241Y-16-16T	1.7/16"X12	25	16	79	14.8	28.6	S41
13	24241Y-20-20W	1.11/16"X12	32	20	98.6	15	38.4	S50
14	24241Y-24-24T	2"X12	38	24	106	14.8	36.8	S60

注：表中代号用于编织软管，如用于缠绕软管代号改为24242Y-XX-XX。Note:The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 24242Y-XX-XX




90° 美制ORFS 内螺纹平面


90° ORFS FEMALE FLAT SEAT ISO 12151-1--SAE J1453

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		尺寸 DIMENSIONS			
			公称内径 DN	标号 DASH	A	C	H	S2
1	24291Y-04-04	9/16"X18	6	04	27	8.5	24.4	S19
2	24291Y-06-04T	11/16"X16	6	04	27	10	30	S22
3	24291Y-06-06	11/16"X16	10	06	34.5	10	30	S22
4	24291Y-08-06T	13/16"X16	10	06	34.5	11	39	S27
5	24291Y-08-08	13/16"X16	13	08	40.7	11	38.7	S27
6	24291Y-10-08	1"X14	13	08	41	13.5	44.5	S30
7	24291Y-10-10	1"X14	16	10	53.5	13.5	44.5	S30
8	24291Y-12-08T	1.3/16"X12	13	08	41	15	45.5	S36
9	24291Y-12-10T	1.3/16"X12	16	10	53	15	49	S36
10	24291Y-12-12T	1.3/16"X12	19	12	61	15	54	S36
11	24291Y-16-12T	1.7/16"X12	19	12	61	14.8	57	S41
12	24291Y-16-16T	1.7/16"X12	25	16	75	14.8	65	S41
13	24291Y-20-20W	1.11/16"X12	32	20	91	15	85	S50
14	24291Y-24-24T	2"X12	38	24	106	14.8	89	S60

注：表中代号用于编织软管，如用于缠绕软管代号改为24292Y-XX-XX。 Note: The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 24292Y-XX-XX



24211DY-SM






24211DY-SMW

美制ORFS 内螺纹平面双六角

ORFS FEMALE FLAT SEAT DOUBLE HEXAGON

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		尺 寸 DIMENSIONS			
			公称内径 DN	标号 DASH	A	C	S1	S2
1	24211DY-04-04SM	9/16"X18	6	04	28.5	8.5	S14	S19
2	24211DY-06-06SM	11/16"X16	10	06	31.5	10	S17	S22
3	24211DY-08-08SM	13/16"X16	13	08	37.5	11	S19	S27
4	24211DY-10-10SM	1"X14	16	10	44	13.5	S24	S30
5	24211DY-12-12SM	1.3/16"X12	19	12	44.5	15	S30	S36
6	24211DY-16-16SM	1.7/16"X12	25	16	50	14.8	S36	S41
7	24211DY-20-20SMW	1.11/16"X12	32	20	54.5	15	S41	S50
8	24211DY-24-24SMW	2"X12	38	24	56	14.8	S50	S60

注：表中代号用于编织软管，如用于缠绕软管代号改为24212DY-XX-XXSM。Note:The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 24212DY-XX-XXSM




美制JIC 内螺纹74° 内锥面

JIC FEMALE 74° CONE SEAT SAE J514

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		尺 寸 DIMENSIONS		
			公称内径 DN	标号 DASH	A	C	S1
1	26711Y-04-04	7/16"X20	6	04	15	9	S15
2	26711Y-04-05	7/16"X20	8	05	15	9	S15
3	26711Y-06-06	9/16"X18	10	06	15.5	10.5	S19
4	26711Y-08-06	3/4"X16	10	06	17.5	11	S24
5	26711Y-08-08	3/4"X16	13	08	18.5	11	S24
6	26711Y-08-10	3/4"X16	16	10	19	11	S24
7	26711Y-10-08	7/8"X14	13	08	19	13	S27
8	26711Y-10-10	7/8"X14	16	10	19.5	13	S27
9	26711Y-12-10	1.1/16"X12	16	10	21	15	S32
10	26711Y-12-12	1.1/16"X12	19	12	21.5	15	S32
11	26711Y-16-12	1.5/16"X12	19	12	21.5	16	S41
12	26711Y-16-16	1.5/16"X12	25	16	22.5	16	S41
13	26711Y-20-20W	1.5/8"X12	32	20	26.5	17	S50
14	26711Y-24-24W	1.7/8"X12	38	24	30.5	20	S55
15	26711Y-32-24T	2.1/2"X12	38	24	27	23.5	S75
16	26711Y-32-32T	2.1/2"X12	51	32	27	23.5	S75

注：表中代号用于编织软管，如用于缠绕软管代号改为26712Y-XX-XX。Note:The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 26712Y-XX-XX




45° 美制JIC 内螺纹74° 内锥面

45° JIC FEMALE 74° CONE SEAT SAE J514

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		尺 寸 DIMENSIONS			
			公称内径 DN	标号 DASH	A	C	H	S2
1	26741Y-04-04	7/16"X20	6	04	33.9	9	14.3	S15
2	26741Y-04-05	7/16"X20	8	05	34.9	9	14.3	S15
3	26741Y-06-06	9/16"X18	10	06	40.2	10.5	16.2	S19
4	26741Y-08-06	3/4"X16	10	06	41.6	11	17.6	S24
5	26741Y-08-08	3/4"X16	13	08	46.3	11	19.4	S24
6	26741Y-08-10	3/4"X16	16	10	51	11	20.1	S24
7	26741Y-10-08	7/8"X14	13	08	47.4	13	20.5	S27
8	26741Y-10-10	7/8"X14	16	10	59.5	13	23.2	S27
9	26741Y-12-10	1.1/16"X12	16	10	60.2	15	23.9	S32
10	26741Y-12-12	1.1/16"X12	19	12	66.9	15	25.2	S32
11	26741Y-16-12	1.5/16"X12	19	12	67.6	16	25.9	S41
12	26741Y-16-16	1.5/16"X12	25	16	79.3	16	28.9	S41
13	26741Y-20-20W	1.5/8"X12	32	20	95.4	17	35.2	S50
14	26741Y-24-24W	1.7/8"X12	38	24	112	20	42.8	S55
15	26741Y-32-24W	2.1/2"X12	38	24	113	23.5	43.6	S75
16	26741Y-32-32W	2.1/2"X12	51	32	140	23.5	51.6	S75

注：表中代号用于编织软管，如用于缠绕软管代号改为26742Y-XX-XX。Note:The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 26742Y-XX-XX




90° 美制JIC 内螺纹74° 内锥面


90° JIC FEMALE 74° CONE SEAT SAE J514

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		尺 寸 DIMENSIONS			
			公称内径 DN	标号 DASH	A	C	H	S2
1	26791Y-04-04	7/16"X20	6	04	27	9	27.4	S15
2	26791Y-04-05	7/16"X20	8	05	28	9	27.4	S15
3	26791Y-06-06	9/16"X18	10	06	34.5	10.5	33.5	S19
4	26791Y-08-06	3/4"X16	10	06	34.5	11	35.5	S24
5	26791Y-08-08	3/4"X16	13	08	41	11	42.5	S24
6	26791Y-08-10	3/4"X16	16	10	45	11	42.5	S24
7	26791Y-10-08	7/8"X14	13	08	41	13	43.5	S27
8	26791Y-10-10	7/8"X14	16	10	53	13	49.5	S27
9	26791Y-12-10	1.1/16"X12	16	10	53	15	50.5	S32
10	26791Y-12-12	1.1/16"X12	19	12	61	15	55	S32
11	26791Y-16-12	1.5/16"X12	19	12	61	16	56	S41
12	26791Y-16-16	1.5/16"X12	25	16	75	16	65.5	S41
13	26791Y-20-20W	1.5/8"X12	32	20	91	17	80.5	S50
14	26791Y-24-24W	1.7/8"X12	38	24	106	20	97.5	S55
15	26791Y-32-24W	2.1/2"X12	38	24	106	23.5	98.5	S75
16	26791Y-32-32W	2.1/2"X12	51	32	132	23.5	122	S75

注：表中代号用于编织软管，如用于缠绕软管代号改为26792Y-XX-XX。Note:The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 26792Y-XX-XX.



26711DY-SM




26711DY-SMW

美制JIC 内螺纹74° 内锥面双六角


IC FEMALE 74° CONE SEAT DOUBLE HEXAGON

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		尺 寸 DIMENSIONS			
			公称内径 DN	标号 DASH	A	C	S1	S2
1	26711DY-04-04SM	7/16"X20	6	04	20	9	S12	S15
2	26711DY-04-05SM	7/16"X20	8	05	20	9	S14	S15
3	26711DY-06-06SM	9/16"X18	10	06	21	10.5	S17	S19
4	26711DY-06-08SM	9/16"X18	13	08	21.5	10.5	S19	S19
5	26711DY-08-06SM	3/4"X16	10	06	25	11	S19	S24
6	26711DY-08-08SM	3/4"X16	13	08	24.5	11	S19	S24
7	26711DY-08-10SM	3/4"X16	16	10	25.5	11	S22	S24
8	26711DY-10-08SM	7/8"X14	13	08	25	13	S22	S27
9	26711DY-10-10SM	7/8"X14	16	10	27	13	S22	S27
10	26711DY-12-10SM	1.1/16"X12	16	10	32	15	S27	S32
11	26711DY-12-12SM	1.1/16"X12	19	12	32	15	S27	S32
12	26711DY-16-12SM	1.5/16"X12	19	12	33.5	16	S32	S41
13	26711DY-16-16SM	1.5/16"X12	25	16	34.5	16	S32	S41
14	26711DY-20-20SMW	1.5/8"X12	32	20	38	17	S41	S50
15	26711DY-24-20SMW	1.7/8"X12	32	20	41.5	20	S46	S55
16	26711DY-24-24SMW	1.7/8"X12	38	24	41.5	20	S46	S55
17	26711DY-32-24SMW	2.1/2"X12	38	24	44	23.5	S65	S75
18	26711DY-32-32SMW	2.1/2"X12	51	32	44	23.5	S65	S75

注：表中代号用于编织软管，如用于缠绕软管代号改为26712DY-XX-XXSM。Note: The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 26712DY-XX-XXSM



28611Y




28611YW

日本公制内螺纹60° 内锥面


JIS METRIC FEMALE 60° CONE SEAT

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		尺 寸 DIMENSIONS			
			公称内径 DN	标号 DASH	A	C	S1	S2
1	28611Y-14-04	M14X1.5	6	04	21	10.5	19	19
2	28611Y-16-05	M16X1.5	8	05	24	10	22	22
3	28611Y-16-06	M16X1.5	10	06	24	10	22	22
4	28611Y-18-06	M18X1.5	10	06	24	11.5	24	24
5	28611Y-20-08	M20X1.5	12	08	28.5	12	27	27
6	28611Y-22-08	M22X1.5	12	08	28.5	14	27	27
7	28611Y-24-08	M24X1.5	12	08	28.5	15	32	32
8	28611Y-24-10	M24X1.5	16	10	29	15	32	32
9	28611Y-30-12	M30X1.5	20	12	28.5	18.3	36	36
10	28611Y-33-12	M33X1.5	20	12	31	21.3	41	41
11	28611Y-36-16	M36X1.5	25	16	34.5	20	46	46
12	28611Y-42-20W	M42X1.5	32	20	40	18.8	55	55

注：表中代号用于编织软管，如用于缠绕软管代号改为28612Y-XX-XX。Note:The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 28612Y-XX-XX



29611Y




29611YW

日本英制内螺纹60°内锥面

JIS GAS FEMALE 60° CONE SEAT

序号 SN	产品代号 PART NO.	螺 纹 E THREAD E	胶管HOSE BORE		尺 寸 DIMENSIONS			
			公称内径 DN	标号 DASH	A	C	S1	S2
1	29611Y-04-04	G1/4"X19	6	04	21	8	S19	S19
2	29611Y-06-05	G3/8"X19	8	05	23	9	S22	S22
3	29611Y-06-06	G3/8"X19	10	06	23	9	S22	S22
4	29611Y-08-08	G1/2"X14	13	08	26.5	12	S27	S27
5	29611Y-10-10	G5/8"X14	16	10	30.5	11.5	S30	S30
6	29611Y-12-12	G3/4"X14	19	12	30.5	13.5	S32	S32
7	29611Y-16-16	G1"X11	25	16	34	16	S41	S41
8	29611Y-20-20W	G1.1/4"X11	32	20	43	18.5	S50	S50
9	29611Y-24-24W	G1.1/2"X11	38	24	43.5	19	S55	S55
10	29611Y-32-32W	G2"X11	51	32	46.5	23	S70	S70

注：表中代号用于编织软管，如用于缠绕软管代号改为29612Y-XX-XX。Note:The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 29612Y-XX-XX


**87311Y**

SAE 法兰 3000 PSI

SAE FLANGE 3000 PSI

序号 SN	产品代号 PART NO.	法兰型号 FLANGE NO.	胶管HOSE BORE		尺寸 DIMENSIONS		
			公称内径 DN	标号 DASH	A	D	L
1	87311Y-08-08	1/2"	13	08	46	30.2	6.73
2	87311Y-08-10	1/2"	16	10	47.5	30.2	6.73
3	87311Y-12-08	3/4"	13	08	47	38.1	6.73
4	87311Y-12-10	3/4"	16	10	48	38.1	6.73
5	87311Y-12-12	3/4"	19	12	48	38.1	6.73
6	87311Y-12-16	3/4"	25	16	49	38.1	6.73
7	87311Y-16-12	1"	19	12	51	44.4	8
8	87311Y-16-16	1"	25	16	52	44.4	8
9	87311Y-16-20	1"	32	20	53	44.4	8
10	87311Y-20-12	1.1/4"	19	12	56	50.8	8
11	87311Y-20-16	1.1/4"	25	16	57	50.8	8
12	87311Y-20-20	1.1/4"	32	20	58	50.8	8
13	87311Y-20-24	1.1/4"	38	24	61	50.8	8
14	87311Y-24-20	1.1/2"	32	20	68	60.3	8
15	87311Y-24-24	1.1/2"	38	24	68	60.3	8
16	87311Y-32-24	2"	38	24	70	71.4	9.53
17	87311Y-32-32	2"	51	32	70	71.4	9.53
18	87311Y-40-32	2.1/2"	51	32	73	84.1	9.53

注：表中代号用于编织软管，如用于缠绕软管代号改为87312Y-XX-XX。Note: The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 87312Y-XX-XX




87341Y

45° SAE 法兰 3000 PSI

45° SAE FLANGE 3000 PSI

序号 SN	产品代号 PART NO.	法兰型号 FLANGE NO.	胶管HOSE BORE		尺寸 DIMENSIONS			
			公称内径 DN	标号 DASH	A	H	D	L
1	87341Y-08-08	1/2"	13	08	49.9	22.9	30.2	6.73
2	87341Y-12-08	3/4"	13	08	49.9	22.9	38.1	6.73
3	87341Y-12-10	3/4"	16	10	61.1	24.3	38.1	6.73
4	87341Y-12-12	3/4"	19	12	67.6	25.9	38.1	6.73
5	87341Y-16-12	1"	19	12	67.6	25.9	44.4	8
6	87341Y-16-16	1"	25	16	79.7	29.4	44.4	8
7	87341Y-16-20	1"	32	20	94	33.8	44.4	8
8	87341Y-20-16	1.1/4"	25	16	79.7	29.3	50.8	8
9	87341Y-20-20	1.1/4"	32	20	94	33.8	50.8	8
10	87341Y-24-20	1.1/2"	32	20	95.4	35.2	60.3	8
11	87341Y-24-24	1.1/2"	38	24	107	38.3	60.3	8
12	87341Y-32-24	2"	38	24	107	38.3	71.4	9.53
13	87341Y-32-32	2"	51	32	135	46.3	71.4	9.53
14	87341Y-40-32	2.1/2"	51	32	131	47.8	84.1	9.53

注：表中代号用于编织软管，如用于缠绕软管代号改为87342Y-XX-XX。 Note:The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 87342Y-XX-XX.


**87391Y**

90° SAE 法兰 3000 PSI

90° SAE FLANGE 3000 PSI

序号 SN	产品代号 PART NO.	法兰型号 FLANGE NO.	胶管 HOSE BORE		尺寸 DIMENSIONS			
			公称内径 DN	标号 DASH	A	H	D	L
1	87391Y-08-08	1/2"	13	08	41	46.5	30.2	6.73
2	87391Y-08-10	1/2"	16	10	53.5	50	30.2	6.73
3	87391Y-12-08	3/4"	13	08	41	46.5	38.1	6.73
4	87391Y-12-10	3/4"	16	10	53.5	51	38.1	6.73
5	87391Y-12-12	3/4"	19	12	61	56	38.1	6.73
6	87391Y-16-12	1"	19	12	61	56	44.4	8
7	87391Y-16-16	1"	25	16	75	66	44.4	8
8	87391Y-16-20	1"	32	20	91	78.5	44.4	8
9	87391Y-20-12	1.1/4"	19	12	61	56	50.8	8
10	87391Y-20-16	1.1/4"	25	16	75	66	50.8	8
11	87391Y-20-20	1.1/4"	32	20	91	78.5	50.8	8
12	87391Y-20-24	1.1/4"	38	24	97.5	78.5	50.8	8
13	87391Y-24-20	1.1/2"	32	20	91	80.5	60.3	8
14	87391Y-24-24	1.1/2"	38	24	106	91	60.3	8
15	87391Y-32-24	2"	38	24	106	91	71.4	9.53
16	87391Y-32-32	2"	51	32	132	114	71.4	9.53
17	87391Y-40-32	2.1/2"	51	32	132	116	84.1	9.53

注：表中代号用于编织软管，如用于缠绕软管代号改为87392Y-XX-XX。 Note: The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 87392Y-XX-XX




87611Y

SAE 法兰 6000 PSI

SAE FLANGE 6000 PSI

序号 SN	产品代号 PART NO.	法兰型号 FLANGE NO.	胶管HOSE BORE		尺寸 DIMENSIONS		
			公称内径 DN	标号 DASH	A	D	L
1	87611Y-08-08	1/2"	13	08	47	31.7	7.75
2	87611Y-08-10	1/2"	16	10	48	31.7	7.75
3	87611Y-12-08	3/4"	13	08	50	41.3	8.76
4	87611Y-12-10	3/4"	16	10	51	41.3	8.76
5	87611Y-12-12	3/4"	19	12	51	41.3	8.76
6	87611Y-12-16	3/4"	25	16	52	41.3	8.76
7	87611Y-16-12	1"	19	12	56	47.6	9.53
8	87611Y-16-16	1"	25	16	57	47.6	9.53
9	87611Y-16-20	1"	32	20	61	47.6	9.53
11	87611Y-20-16	1.1/4"	25	16	65	54	10.3
12	87611Y-20-20	1.1/4"	32	20	66	54	10.3
13	87611Y-24-20	1.1/2"	32	20	75	63.5	12.6
14	87611Y-24-24	1.1/2"	38	24	75	63.5	12.6
15	87611Y-32-24	2"	38	24	85	79.4	12.6
16	87611Y-32-32	2"	51	32	85	79.4	12.6

注：表中代号用于编织软管，如用于缠绕软管代号改为87612Y-XX-XX。Note:The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 87612Y-XX-XX




87641Y

45° SAE 法兰 6000 PSI

45° SAE FLANGE 6000 PSI

序号 SN	产品代号 PART NO.	法兰型号 FLANGE NO.	胶管HOSE BORE		尺寸 DIMENSIONS			
			公称内径 DN	标号 DASH	A	H	D	L
1	87641Y-08-08	1/2"	13	08	49.9	22.9	31.7	7.75
2	87641Y-12-10	3/4"	16	10	63.9	27.1	41.3	8.76
3	87641Y-12-12	3/4"	19	12	70.4	28.8	41.3	8.76
4	87641Y-16-12	1"	19	12	72.5	30.9	47.6	9.53
5	87641Y-16-16	1"	25	16	84.6	34.2	47.6	9.53
6	87641Y-20-16	1.1/4"	25	16	87.4	37.1	54	10.3
7	87641Y-20-20	1.1/4"	32	20	102	41.5	54	10.3
8	87641Y-24-20	1.1/2"	32	20	105	45.1	63.5	12.6
9	87641Y-24-24	1.1/2"	38	24	117	48.2	63.5	12.6
10	87641Y-32-32	2"	51	32	145	61.9	79.4	12.6

注：表中代号用于编织软管，如用于缠绕软管代号改为87642Y-XX-XX。Note:The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 87642Y-XX-XX




87691Y

90° SAE 法兰 6000 PSI

90° SAE FLANGE 6000 PSI

序号 SN	产品代号 PART NO.	法兰型号 FLANGE NO.	胶管 HOSE BORE		尺寸 DIMENSIONS			
			公称内径 DN	标号 DASH	A	H	D	L
1	87691Y-08-08	1/2"	13	08	41	46.5	31.7	7.75
2	87691Y-08-10	1/2"	16	10	53.5	51	31.7	7.75
3	87691Y-12-08	3/4"	13	08	41	50.5	41.3	8.76
4	87691Y-12-10	3/4"	16	10	53.5	55	41.3	8.76
5	87691Y-12-12	3/4"	19	12	61	60	41.3	8.76
6	87691Y-12-16	3/4"	25	16	75	70	41.3	8.76
7	87691Y-16-12	1"	19	12	61	63	47.6	9.53
8	87691Y-16-16	1"	25	16	75	73	47.6	9.53
9	87691Y-16-20	1"	32	20	91	85.5	47.6	9.53
10	87691Y-20-16	1.1/4"	25	16	75	77	54	10.3
11	87691Y-20-20	1.1/4"	32	20	91	89.5	54	10.3
12	87691Y-24-20	1.1/2"	32	20	91	94.5	63.5	12.6
13	87691Y-24-24	1.1/2"	38	24	106	105	63.5	12.6
14	87691Y-32-24	2"	38	24	106	113	79.4	12.6
15	87691Y-32-32	2"	51	32	132	136	79.4	12.6

注：表中代号用于编织软管，如用于缠绕软管代号改为87692Y-XX-XX。 Note: The part no. in table match with braided hoses; If you want the fittings match with spiral hoses, the part no. will be 87692Y-XX-XX.




87613Y

SAE 法兰 6000 PSI

SAE FLANGE 6000 PSI


序号 SN	产品代号 PART NO.	法兰型号 FLANGE NO.	胶管HOSE BORE		尺寸 DIMENSIONS		
			公称内径 DN	标号 DASH	A	D	L
1	87613Y-20-20	1.1/4"	32	20	69.8	54	10.3
2	87613Y-24-20	1.1/2"	32	20	78.8	63.5	12.6
3	87613Y-24-24	1.1/2"	38	24	78.7	63.5	12.6
4	87613Y-32-24	2"	38	24	91.2	79.4	12.6
5	87613Y-32-32	2"	51	32	91	79.4	12.6
注：表中代号用于六层钢丝超高压胶管。 NOTE: The part no. in table match with six spiral hoses in super high pressure.							

**87643Y**

45° SAE 法兰 6000 PSI

45° SAE FLANGE 6000 PSI

序号 SN	产品代号 PART NO.	法兰型号 FLANGE NO.	胶管HOSE BORE		尺寸 DIMENSIONS			
			公称内径 DN	标号 DASH	A	H	D	L
1	87643Y-20-20	1.1/4"	32	20	117	41.5	54	10.3
2	87643Y-24-20	1.1/2"	32	20	120	45.1	63.5	12.6
3	87643Y-24-24	1.1/2"	38	24	131	48.2	63.5	12.6
4	87643Y-32-24	2"	38	24	140	53.8	79.4	12.6
5	87643Y-32-32	2"	51	32	163	61.9	79.4	12.6
注：表中代号用于六层钢丝超高压胶管。 NOTE: The part no. in table match with six spiral hoses in super high pressure.								



87693Y


90° SAE 法兰 6000 PSI

90° SAE FLANGE 6000 PSI

序号 SN	产品代号 PART NO.	法兰型号 FLANGE NO.	胶管HOSE BORE		尺寸 DIMENSIONS			
			公称内径 DN	标号 DASH	A	H	D	L
1	87693Y-20-20	1.1/4"	32	20	106	89.5	54	10.3
2	87693Y-24-20	1.1/2"	32	20	106	94.5	63.5	12.6
3	87693Y-24-24	1.1/2"	38	24	121	105	63.5	12.6
4	87693Y-32-24	2"	38	24	121	113	79.4	12.6
5	87693Y-32-32	2"	51	32	150	136	79.4	12.6
注：表中代号用于六层钢丝超高压胶管。 NOTE: The part no. in table match with six spiral hose in super high pressure.								



密封件 Seal



O 形圈 O Ring

DIN 24° 锥轻系列 O 形圈密封用 O 形圈
For DIN 24° Cone O-ring L.T.


O形圈代号 PART NO.	螺纹 THREAD	d	b	管子外径 TUBE O.D.
O04.5x1.5	M12X1.5	4.5	1.5	6
O06.5x1.5	M14X1.5	6.5	1.5	8
O08.0x1.5	M16X1.5	8.0	1.5	10
O10.0x1.5	M18X1.5	10.0	1.5	12
O12.0x2.0	M22X1.5	12.0	2.0	15
O15.0x2.0	M26X1.5	15.0	2.0	18
O15.0x2.0	M27X1.5	15.0	2.0	18
O20.0x2.0	M30X2	20.0	2.0	22
O26.0x2.0	M36X2	26.0	2.0	28
O32.0x2.5	M45X2	32.0	2.5	35
O38.0x2.5	M52X2	38.0	2.5	42

DIN 24° 锥重系列 O 形圈密封用 O 形圈
For DIN 24° Cone O-ring H.T.

O形圈代号 PART NO.	螺纹 THREAD	d	b	管子外径 TUBE O.D.
O04.5x1.5	M14X1.5	4.5	1.5	6
O06.5x1.5	M16X1.5	6.5	1.5	8
O08.0x1.5	M18X1.5	8.0	1.5	10
O10.0x1.5	M20X1.5	10.0	1.5	12
O11.0x2.0	M22X1.5	11.0	2.0	14
O13.0x2.0	M24X1.5	13.0	2.0	16
O16.3x2.4	M30X2	16.3	2.4	20
O20.3x2.4	M36X2	20.3	2.4	25
O25.3x2.4	M42X2	25.3	2.4	30
O33.3x2.4	M52X2	33.3	2.4	38

美制 ORFS 外螺纹平面 O 形圈密封用 O 形圈
For ORFS Male O-ring

O形圈代号 PART NO.	螺纹 THREAD	d	b
O011	9/16"x18UNF	7.65	1.78
O012	11/16"x16UN	9.25	1.78
O014	13/16"x16UN	12.42	1.78
O016	1"x14UNsf	15.6	1.78
O018	1.3/16"x12UN	18.77	1.78
O021	1.7/16"x12UN	23.52	1.78
O025	1.11/16"x12UN	29.87	1.78
O029	2"x12UN	37.82	1.78



组合垫 Bonded Seal

SAE 法兰用 O 形圈 For SAE Flange O-ring

O形圈代号 PART NO.	法兰型号 FLANGE SIZE	d	b
O210	1/2"	18.64	3.53
O214	3/4"	24.99	3.53
O219	1"	32.92	3.53
O222	1.1/4"	37.69	3.53
O225	1.1/2"	47.22	3.53
O228	2"	56.74	3.53
O232	2.1/4"	69.44	3.53

JIS 法兰用 O 形圈 For JIS Flange O Ring

O形圈代号 PART NO.	法兰型号 FLANGE SIZE	d	b
O212	5/8"	21.82	3.53

英管外螺纹 O 形圈密封接头用 O 形圈
For BSP Male O-ring

O形圈代号 PART NO.	螺纹 THREAD	d	b
O011	G1/8"X28	7.65	1.78
O111	G1/4"X19	10.77	2.62
O113	G3/8"X19	13.94	2.62
O115	G1/2"X14	17.12	2.62
O910	G5/8"X14	19.18	2.46
O119	G3/4"X14	23.47	2.62
O217	G1"X11	29.74	3.53
O222	G1.1/4"X11	37.69	3.53
O224	G1.1/2"X11	44.04	3.53
O54.0X3.0	G2"X11	54	3

美制 SAE 外螺纹 O 形圈密封接头用 O 形圈
For SAE Male O-ring

O形圈代号 PART NO.	螺纹 THREAD	d	b
O904	7/16"x20UNF	8.92	1.83
O905	1/2"x20UNF	10.52	1.83
O906	9/16"x18UNF	11.89	1.98
O908	3/4"x16UNF	16.36	2.21
O910	7/8"x14UNF	19.18	2.46
O912	1.1/16"x12UN	23.47	2.95
O914	1.3/16"x12UN	26.62	2.95
O916	1.5/16"x12UN	29.74	2.95
O920	1.5/8"x12UN	37.46	3.00
O924	1.7/8"x12UN	43.69	3.00
O932	2.1/2"x12UN	59.36	3.00



附加资料 Information

英管内螺纹 60° 外锥面用 O 形圈

For BSP Female 60° Cone O-ring

O形圈代号 PART NO.	螺纹 THREAD	d	b
O171	G3/4"X14	17.1	1.6
O221	G1"X11	22.1	1.6
O291	G1.1/4"X11	29.1	1.6
O351	G1.1/2"X11	35.1	1.6

水管接头用 O 形圈 For Waterwash O-ring

O形圈代号 PART NO.	螺纹 THREAD	d	b
O10.0X2.0	M22x1.5	10.0	2.0


SAE 矿用接头用 O 形圈 For SAE Staplelok O-ring

O形圈代号 PART NO.	接头规格 FITTING SIZE	d	b
O06.0X2.0	-04	6.0	2.0
O10.0X2.0	-06	10.0	2.0
O13.0X2.5	-08	13.0	2.5
O19.0X2.5	-12	19.0	2.5
O25.0X2.5	-16	25.0	2.5
O33.0X2.5	-20	33.0	2.5
O40.0X3.0	-24	40.0	3.0
O50.0X3.0	-32	50.0	3.0

公制外螺纹可调向柱端用 O 形圈


For Metric Male Adjustable Stud End O-ring

O形圈代号 PART NO.	螺纹 THREAD	d	b
O06.1X1.6	M8X1	6.1	1.6
O08.1X1.6	M10X1	8.1	1.6
O09.3X2.4	M12X1.5	9.3	2.4
O11.3X2.4	M14X1.5	11.3	2.4
O13.3X2.4	M16X1.5	13.3	2.4
O15.3X2.4	M18X1.5	15.3	2.4
O17.3X2.4	M20X1.5	17.3	2.4
O19.3X2.4	M22X1.5	19.3	2.4
O21.3X3.0	M24X1.5	21.3	3.0
O23.5X3.0	M26X1.5	23.5	3.0
O23.5X3.0	M27X2	23.5	3.0
O26.5X3.0	M30X2	26.5	3.0
O29.5X3.0	M33X2	29.5	3.0
O38.5X3.0	M42X2	38.5	3.0
O44.5X3.0	M48X2	44.5	3.0
O56.2X3.0	M60X2	56.2	3.0



压力表紫铜垫片

垫片代号	d	D	H
DP-B04G	6	11	2
DP-B08G	6	18	2




压力表钢垫片

垫片代号	d	D	H
DP-B04DK	6	11.3	4.5
DP-B08DK	12	18.5	5

六角端面密封用组合垫 Bonded Seal

组合垫代号 PART NO.	螺纹 THREAD	d	D
ZHD-10	M10 、 G1/8"	10.4	16
ZHD-14	M14 、 G1/4"	14.4	20
ZHD-16	M16	16.4	22
ZHD-18	M18 、 G3/8"	18.4	25
ZHD-22	M22 、 G1/2"	22.5	30
ZHD-24	M24	24.5	32
ZHD-27	M27 、 G3/4"	27.5	35
ZHD-30	M30	30.5	38
ZHD-33	M33 、 G1"	33.5	42
ZHD-36	M36	36.6	46
ZHD-42	M42 、 G1.1/4"	42.6	53
ZHD-45	M45	45.6	56
ZHD-48	M48 、 G1.1/2"	48.7	60
ZHD-52	M52	52.7	66
ZHD-60	M60 、 G2"	60.7	75



胶垫 CAPTIVE

胶垫代号 PART NO.	螺纹 THREAD	d	D	H
WD-B02	G1/8"X28	8.4	11.9	1.0
WD-B04	G1/4"X19	11.6	16.5	1.5
WD-B06	G3/8"X19	14.7	18.9	1.5
WD-B08	G1/2"X14	18.5	23.9	1.5
WD-B12	G3/4"X14	23.9	29.2	1.5
WD-B16	G1"X11	29.7	35.7	2.0
WD-B20	G1.1/4"X11	38.8	45.8	2.0
WD-B24	G1.1/2"X11	44.7	50.7	2.0
WD-B02	M10X1	8.4	11.9	1.0
WD-M12	M12X1.5	9.8	14.4	1.5
WD-M14	M14X1.5	11.8	16.5	1.5
WD-M16	M16X1.5	13.8	18.9	1.5
WD-M18	M18X1.5	15.7	20.9	1.5
WD-M20	M20X1.5	17.8	22.9	1.5
WD-M22	M22X1.5	19.6	24.3	1.5
WD-B12	M26X1.5	23.9	29.2	1.5
WD-B12	M27X2	23.9	29.2	1.5
WD-B16	M33X2	29.7	35.7	1.5
WD-B20	M42X2	38.8	45.8	2.0
WD-B24	M48X2	44.7	50.7	2.0